

Integrations

GW630100

DAIKIN AC COMPATIBILITIES

ingenium \*  
**B**es

[www.besknx.com](http://www.besknx.com)

# Index

<b>1</b>	<b>Compatible AC units</b>	<b>2</b>
1.1	Indoor units	2

# 1 Compatible AC units

The compatibility of the DAIKIN-I-KNX gateway will be specified according to DAIKIN's indoor unit models.

## 1.1 Indoor units

The compatibility of the indoor units always refers to the indoor units.


All the references on the table are the three first characters of the model of the indoor unit. For example:

Indoor unit model: FBQ60C7VEB → table model: FBQ

If any model is not included in the list, it may not be compatible with the corresponding DAIKIN machine. Therefore, its use is not recommended without prior consultation.

Line	Indoor SKY unit	Indoor VRV unit
2-way cassette		FXCQ-
4-way blow ceiling mounted cassette	FFQ-	FXZQ-
	FFA-	
	FHC-	
	FHYC-	
	FHYCP-	
Ceiling mounted corner cassette	FHK-	FXKQ-
	FHYK-	
4-way blow ceiling suspended unit	FUQ-	FXUQ-
	FUA-	
	FUY-	
Round flow ceiling mounted cassette	FCQ-	FXFQ-
	FCQG-	
	FCAG-	
	FCQHG-	
	FCAHG-	
Round Flow Cassette - Commercial Multi System	FMCQ-	
	FMDQ-	
Ceiling suspended unit	FHQ-	FXHQ-
	FHA-	
	FHQG-	

	FH-	
	FHY-	
Ceiling mounted build-in	FHB-	FXTQ-
	FHYB-	
Slim concealed ceiling unit	FDXS-F	FXDQ-
	FDYB-	
	FDXM-	
	ADEQ-	
	ADEA-	
Concealed ceiling unit	FDYM-	FXYSP-
Large concealed ceiling unit	FDQ-	FXMQ-
	FDA-	
	FDEQ-	
	FD-	
	FDY-	
Inverter driven concealed ceiling unit	FBQ-	FXSQ-
	FBA-	
	FDBQ-	
	FBK-	
	FHYBP-	
Concealed floor standing units	FNQ-	FXNQ- FXLQ-
	FNA-	
	FVQ-	
	FV-	
	FVA-	
	FVY-	
	AVA-	
Wall mounted units	FAQ-	FXAQ-
	FA-	
	FAA-	
	FAY-	



KNX products by ingenium



**Ingenium, Ingeniería y Domótica S.L.**

Parque Tecnológico de Asturias, Parcela 50

33428 Llanera, Asturias, España

T (+34) 985 757 195

tec@besknx.com

www.besknx.com

www.ingeniumsl.com

*Liability limitation: The present document is subject to changes or excepted errors. The contents are continuously checked to be according to the hardware and software but deviations cannot be completely excluded. Consequently any liability for this is not accepted. Please inform us of any suggestion. Every correction will be incorporated in new versions of this manual.*

Manual version: v1.0